

HEALTH AND SAFETY DATA SHEET

Product no.	Version 09/98/MW	Status 09/98/MW	
Substance code:		Page: 1 (3)	

1. Identification of the substance / preparation and company

Product details

Trade Name:

Supplier details:

PSP Dental Company Limited

3-5 Dylan Road Belvedere Kent DA17 5QS Information provided by: PSP Dental Company Limited

Emergency telephone number: 020-8311-7337 Emergency fax number: 020 8310 0920

2. Compostion/information on ingredients

Chemical characterization Hazardous Components

Ingredient % CAS No. S Phrase R Phrase

3. Hazards identification

Unlikely to cause harmful effects under normal conditions of handling and use. Practice good hygiene. Wear gloves, overalls.

4. First aid measures

After contact with skin:

Mild irritant, prolonged contact may cause defatting and dermatitis. Wash skin first with water and then, soap and water. If in doubt seek medical help.

After contact with eyes:

Mild irritant, wash open eye with of clean water for 10 minutes. Seek medical help.

After ingestion:

Seek medical advice.

After inhalation:

Remove to fresh air. If breathing is irregular or stopped, give artificial respiration. Give nothing by mouth. Seek medical help.



HEALTH AND SAFETY DATA SHEET

Product no.	Version 01/98/HLS	Status 01/98/HLS	
Substance code: 10552		Page:	2 (3)

5. Fire-fighting measures:

6. Accidental release measures:

Environmental precautions

Prevent entry into drains and water courses. Avoid creating dusts.

Methods for cleaning up / taking up:

Wear approved respirator suitable for chemical dust concentrations encounted and imprevious gloves (for bulk spillages). Sweep spill into containers for disposal. Wash contaminated area, wash affected skin areas with soap and water.

7. Handling and storage

Handling:

Good General Ventilation

Follow instructions enclosed in package and use only for purposes directed.

Avoid contact with eyes. Avoid creating dusts.

Storage:

The container should be stored in normal dry place with lid firmly closed, since material is moisture sensitive.

8. Exposure controls / personal protection

Hygiene measures

Remove soiled or soaked clothing immediately.

Wash hands before breaks and after work.

Respiratory protection: Type approved RPE for dusts if required.

Hand protection: rubber gloves.

Eye protection: Goggles.

Body protection: Overalls and boots

Physical and chemical properties Appearance

Form : Colour : Odour :

Data relevant to safety

Flash point : Melting Point Range:

Ignition temperature N/A Density: N/A

Explosive Limits: N/A Solubility in water: Forms paste with water.

Boiling Point / Range: N/A Vapour Pressure:



HEALTH AND SAFETY DATA SHEET

Product no. Version 01/98/HLS Status 01/98/HLS
Substance code: Page: 3 (3)

10. Stability and reactivity

Thermal decomposition / Conditions to avoid

Stable in normal conditions

Hazardous reactions / Substances to avoid Unstable above 98EC gives Acrylate Vapour

11. Toxicological information

There is no Toxicological date available for this product.

There is no known health risk if used properly. Prolonged skin and eye contact should be avoided.

Remarks

12. Ecological information

Further ecological information

Remarks

13. Disposal considerations

Product

Substance via authorized waste disposal contractor to an approved waste disposal site, observing all local and national regulations.

14. Transport information

UN No:IMDG Class:IMO:Packaging Group:IATA:Packaging Group:

Correct Technical Name:

ADR/RID:

Not regulated for transport

15. Regulatory information

Hazard symbols:

R phrases:

S phrases: S25: Avoid contact with eyes

Other Regulations:

16. Other information

This Information is given in good faith, being based on the latest knowledge available to P.S.P.Dental Co. Ltd. No known relevant information has been omitted from the product information, risk information and safety precaution sheets. The user should not assume therefore, the product is suitable for any abnormal use. If the information provided is insufficient to ensure safety in any particular application, please contact P.S.P.Dental Co. Ltd prior to use for further advice.